

From: Taylor, W. Marshall <taylorwm@dhec.sc.gov>
To: Pisarik, HollyHollyPisarik@gov.sc.gov
Date: 1/27/2016 4:37:27 PM
Subject: DHEC Director
Attachments: SACK_3414_K16012716400.pdf

Holly, Per our conversation. Regards, Marshall

W. Marshall Taylor, Jr.
General Counsel
SC Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201
Office: 803-898-3350
Fax: 803-898-3367

PRIVACY NOTICE: The information contained in this message and all attachments transmitted with it may contain legally privileged and/or confidential information intended solely for the use of the individual or entity to whom it is addressed. Access to this information by any other individual is unauthorized and may be unlawful. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited. If you have received this message in error, please notify the sender immediately and delete the information without retaining any copies. Thank you.

From: Co_Copier@dhec.sc.gov <Co_Copier@dhec.sc.gov>
Sent: Wednesday, January 27, 2016 4:40 PM
To: Taylor, W. Marshall
Subject: Message from ACK_3414_KM470

Scanned from a Pollock Company Device.