

**From:** Driscoll, Karen K.  
**To:** Adams, Marcia S <Marcia.Adams@SCDMV.net>  
**CC:** Fralick, Kimberly B <Kimberly.Fralick@SCDMV.net>  
**Date:** 9/24/2007 1:46:49 PM  
**Subject:** Wish List From Ladson DMV.  
**Attachments:** Ivy.gif

---

**Wish List for the Ladson DMV    Inside:**

- We have three flat screen monitors and would like to get flat screen monitors for the rest of the office so that we would look unified.
- Oh we would only pray to get new phones and phone lines in this old building.
- New chairs for the employee's working the front counters. (Need 16)
- Mats that go under the new chairs so the employee's don't slip out the chairs. (Need 16)
- New Manager and Assistant Manager chairs.
- At the front counter stations, we have three cubbies that can be utilized for storage. All we need is cabinet doors with locks so the employees can use this storage for inventory proposes.
- Need New blinds throughout the building.
- Ceiling tiles need replaced as well as the covers for our lights....
- We are in desperate need of shelves in our storage room.
- Need to utilize our Conference room. We have a huge conference room that is not being used at all. We would love to see the wall taken down and use this extra space for workstations to accommodate the amount of customers that come through this building on a daily basis.
- Bathrooms need updated.
- Having CNN ran on our televisions instead of CD's from Gift of Life that will need to be updated monthly seems to be a better idea. So we wish for CNN (cable).
- Greeter Station needs to be larger.

**Wish List for the Ladson DMV    Outside:**

- R/T barriers for CDL and Regular R/T needs to be replaced.
- I wish all the shrubberies in the front and back would be replaced with azalea bushes.
- We need a cement ramp for our delivery of supplies and license plate pick up.

Thank you for all that you do...

*Karen K. Driscoll*

Ladson #81, Manager

135 Wimberly Dr.

Ladson S.C. 29456

Office # 843-553-4868

Fax # 843-797-8813

**Karen.Driscoll@scdmv.net**