

(1) PLACE OF BIRTH

County of CharlestonTownship of 11Inc. Town of 11City of 11

(If birth occurs in a hospital or other institution, give name of same instead of street and number.)

CERTIFICATE OF BIRTH

STATE OF SOUTH CAROLINA

Bureau of Vital Statistics

State Board of Health

Registration District No. 34Registered No. 220

(For use of Local Registrar)

(2) Full Name of Child John Eli Smith

If child is not yet named, make supplemental report as directed

(3) SEX OF CHILD Boy(4) Twin or Triplet ✓

To be answered only in case of Twin or Triplet

(5) Number in order of birth 1(6) Age of child at birth 10(7) DATE OF BIRTH Feb 20 23

(Name of Month) (Day) (Year)

FATHER.

(8) FULL NAME Robert Thompson Smith(9) PRESENT POSTOFFICE OF FATHER Estill SC(10) COLOR OR RACE white(11) AGE AT LAST BIRTHDAY 31
(Year)(12) BIRTHPLACE Hambernville SC(13) OCCUPATION Blacksmith

MOTHER.

(14) NAME OF MOTHER Felicia Thomas Smith(15) PRESENT POSTOFFICE OF MOTHER Charleston SC(16) COLOR OR RACE white(17) AGE AT LAST BIRTHDAY 21
(Year)(18) BIRTHPLACE Charleston SC(19) OCCUPATION Housewife(20) Number of children born to mother, including present birth 1(21) Number of children of this mother now living, including present birth 1

CERTIFICATE OF ATTENDING PHYSICIAN OR MIDWIFE

(22) I hereby certify that I attended the birth of this child, who was born 11:30 A.M. on the date above stated. (Born alive or stillborn) (Hour & M. or P. M.)(23) (Signature) Dr. J. M. Smith(24) State whether Physician or Midwife Physician(25) Address of Physician or Midwife Charleston SC

(26) Given name added from a supplemental report

(28) Witness

(Signature of Witness necessary only when question 28 is signed by mark)

(29) Registrar J. M. Smith(30) Filed 2/28 1923 (By) J. M. Smith Local Registrar

When there was no attending physician or midwife, then the father, householder, etc., should make this return. If a child breathes even once, it must not be reported as stillborn. No report is desired of stillbirths before the fifth month of pregnancy.